



## Product Information

23.03.2007

# MARLIPAL<sup>®</sup> O13/129

### Composition

Oxoalcohol C 13 + 12 mol of ethylene oxide  
INCI: Trideceth-12

---

### Product data (specification)

Property	Value	Unit	Test method
Appearance at 20 °C	liquid, clear	-	visual
Iodine colour number	≤ 2	mg l/100 ml	DIN EN 1557
Cloud point (2 % in 10 % NaCl solution)	54 - 57	°C	DIN EN 1890
pH (2 % in fully demin. water)	5 - 7	-	DIN EN 1262
Dry content	90 ± 1	% by mass	DGF C - III 1

---

### General product description

Property	Value	Unit	Test method
Density at 20 °C	about 1.03	g/ml	DIN 51757
Refractive index n 20/D	about 1.454	-	DGF C - IV 5
Setting point	about - 3	°C	DIN ISO 3841
Ignition temperature	about 360	°C	DIN 51794
Polyethylene glycol	0.5 - 2.0	% by mass	HPLC
Viscosity at 20 °C (Brookfield)	about 170	mPa s	DIN ISO 2555

---

### Transport and packaging

Road tankers, about 1000 kg containers, about 200 kg enamelled iron drums

---

### Storage

Stainless steel vessels (Steel No.: 1.4541 or 1.4571)

---

### Sasol Germany GmbH

Paul-Baumann-Str. 1, D-45764 Marl

Telefon: +49(2365)-49-08 Telefax: +49(2365)-49-2000 info@de.sasol.com www.sasol.com